



PERMANENT MAKEUP/TATTOO DESIGN APPROVAL FORM

Before any permanent makeup/tattooing is provided, I was given the opportunity to approve the design that will become permanent. I am aware that technician will not perform any procedure that WE ARE NOT in full agreement with the design of eyeliner, brows, lips, areola, or hair.

The work will be assembled with one-time-use accessories, a sterilized needle will be opened, the needle assembled into the device and the procedure begins.

Eyebrows will never be identical because of muscle, tissue, and bone formation of the forehead. Technician will make them as symmetrical as possible. I do not expect technician to perform identical eyebrows.

I am aware that generally technician does not go outside of the lip line with color. All applications are to make me look like I have natural beautiful lips and not like I am wearing heavy makeup. If there is any uneven pigmentation in my lips (blue, brown or darker spots), these darker areas will pull darker color and my lip color will look uneven. When I am warm, my lips will appear pinker; and when I am cold, my lips will appear bluer.

I understand the actual color of the tattoo/permanent makeup pigment may be modified slightly due to the tone and color of my skin, body absorption of the tattoo/permanent makeup pigment, and other physiological individual reaction that might happen in my body. I fully understand this fact and accept this.

Permanent makeup/tattoo area design (*please circle all that apply*):

Eyebrows / Eyelash Enhancement / Upper Eyeliner / Lower Eyeliner / Lips / Areola Repigmentation / Hair Follicle Simulation

Permanent makeup/tattoo design and permanent makeup/tattoo pigment color is APPROVED by:

Client (Print Name)

Signature

Date